


## For Groups 16-35



1. **Room set-up completion time and Instructor access to room:**  
Preferred: 1½ hours prior to session time  
The absence of preferred environmental characteristics below is proven to cause participant dissatisfaction, less receptiveness and reduced learning. Your help here will make an impact.
2. **Tables:**  
Preferred: Rectangular tables, 8 ft. x 30 inches  
Acceptable: U-shaped, if room size permits and break out areas for teams of 4-8 participants are provided  
Unacceptable: Less than 2 feet of linear work space per person, participants are required to sit with their backs to the screen.
3. **Seating:** Chairs must be placed so that all participants have an unobstructed view of the front of the room and screen.  
Preferred: Chairs that are ergonomically designed, cushioned, can tilt/swivel on caster wheels  
Acceptable: Mobile cushioned chairs  
Unacceptable: Chairs which are folding, immobile or not cushioned. **Participants must NEVER have their back to the screen.**
4. **Electrical Power:**  
For presenter/instructor: Power strip with  $\geq 5$  outlets, 110-V current  
For workshop or project teams: Power strip for each team.
5. **Lighting:** Lighting should be bright enough for participants to work at their stations.  
Preferred: **Ability to have all the lights on except those within 6 feet of the screen**  
Unacceptable: All lights can only be on or off, inability to turn off or block lights within 6 feet of the screen
6. **Temperature:** Accessible controls within the room.